Product Specification Sheet





P1-125A MRCD-8W

P1 Enclosure: 125A 4P MCB+VARI RCD feeding 8W Pan.

The P1 Enclosures come available in configurations of 100A and 125A, with incoming devices by means of switch disconnector, MCCB or MCCB with variable modular RCD. The P1 panels are manufactured with an internal DIN rail for mounting additional RCD's, Time Clocks or Contactors, providing the user with extra adaptability on site. The P1 panel has the capacity for a 8W or 12W Pan-Assembly. Built according to BS EN (IEC) 60439-4 product standards, our Pan-Assembly Distribution Panels provide efficient and reliable power supply for temporary commercial and industrial buildings.

Manufactured in our UK assembly facility, the robust structure is designed to withstand the demands of busy industrial areas and construction sites. Featuring a corrosion resistant and powder coated galvanised steel enclosure, stainless steel hinges, heavy-duty padlock latch and detachable stainless steel stand to allow greater positioning flexibility.

05-12-2024 | 02:10:05



E-mail: info@elbjorn.com

Product Benefits

- 125A 4P MCB+VARI RCD feeding 8W Pan
- 8 Ways
- Galvanised sheet steel with powder coating finish
- Stainless steel hinges and heavy-duty padlock latch
- Schneider branded Pan-Assembly
- Supply of spare parts supported
- Contact us directly for purchases

Technical Data

Product name	P1-125A MRCD-8W
Product Number	EB12791E
P1 Enclosure Specification	125A 4P MCB+VARI RCD feeding 8W Pan
Dimensions with stand H x W x D (mm)	1380 x 705 x 600
Dimensions without stand H x W x D (mm)	785 x 705 x 180
Number of Module Ways	8
Incomer Rating	125A
Maximum Current Rating	125A

05-12-2024 | 02:10:05

